



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:12 AM GMT

PDB ID : 3HKY
Title : HCV NS5B polymerase genotype 1b in complex with 1,5 benzodiazepine 6
Authors : Nyanguile, O.; De Bondt, H.L.
Deposited on : 2009-05-26
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance ⓘ

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	4755 (1.90-1.90)
Clashscore	102246	5398 (1.90-1.90)
Ramachandran outliers	100387	5338 (1.90-1.90)
Sidechain outliers	100360	5339 (1.90-1.90)
RSRZ outliers	91569	4766 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	581	<div> <div>13%</div> <div>90%</div> <div>6%</div> <div>..</div> </div>
1	B	581	<div> <div>23%</div> <div>89%</div> <div>7%</div> <div>.</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	581	-	-	X	-
3	SO4	A	583	-	-	-	X
3	SO4	A	584	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 9585 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called RNA-directed RNA polymerase.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	564	Total	C	N	O	S	0	5	0
			4426	2783	785	825	33			
1	B	560	Total	C	N	O	S	0	1	0
			4362	2747	771	812	32			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	MET	-	EXPRESSION TAG	UNP O92972
A	-1	ALA	-	EXPRESSION TAG	UNP O92972
A	0	SER	-	EXPRESSION TAG	UNP O92972
A	571	LEU	-	EXPRESSION TAG	UNP O92972
A	572	GLU	-	EXPRESSION TAG	UNP O92972
A	573	HIS	-	EXPRESSION TAG	UNP O92972
A	574	HIS	-	EXPRESSION TAG	UNP O92972
A	575	HIS	-	EXPRESSION TAG	UNP O92972
A	576	HIS	-	EXPRESSION TAG	UNP O92972
A	577	HIS	-	EXPRESSION TAG	UNP O92972
A	578	HIS	-	EXPRESSION TAG	UNP O92972
B	-2	MET	-	EXPRESSION TAG	UNP O92972
B	-1	ALA	-	EXPRESSION TAG	UNP O92972
B	0	SER	-	EXPRESSION TAG	UNP O92972
B	571	LEU	-	EXPRESSION TAG	UNP O92972
B	572	GLU	-	EXPRESSION TAG	UNP O92972
B	573	HIS	-	EXPRESSION TAG	UNP O92972
B	574	HIS	-	EXPRESSION TAG	UNP O92972
B	575	HIS	-	EXPRESSION TAG	UNP O92972
B	576	HIS	-	EXPRESSION TAG	UNP O92972
B	577	HIS	-	EXPRESSION TAG	UNP O92972
B	578	HIS	-	EXPRESSION TAG	UNP O92972


- Molecule 2 is (11S)-10-[(2,5-DIMETHYL-1,3-OXAZOL-4-YL)CARBONYL]-11-{2-FLUORO-4-[(2-METHYLPROP-2-EN-1-YL)OXY]PHENYL}-3,3-DIMETHYL-2,3,4,5,10,11-HEX

AHYDROTHIOPYRANO[3,2-B][1,5]BENZODIAZEPIN-6-OL 1,1-DIOXIDE (three-letter code: IX6) (formula: $C_{30}H_{32}FN_3O_6S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	F	N	O	S	0	0
			41	30	1	3	6	1		
2	B	1	Total	C	F	N	O	S	0	0
			41	30	1	3	6	1		

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	1	Total Cl 1 1	0	0
4	A	1	Total Cl 1 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	402	Total O 403 403	0	1
5	B	270	Total O 270 270	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: RNA-directed RNA polymerase



• Molecule 1: RNA-directed RNA polymerase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	106.27Å 107.68Å 133.57Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.90 – 1.90 44.88 – 1.90	Depositor EDS
% Data completeness (in resolution range)	100.0 (44.90-1.90) 99.9 (44.88-1.90)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.87 (at 1.89Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, R_{free}	0.184 , 0.209 0.190 , 0.214	Depositor DCC
R_{free} test set	967 reflections (0.81%)	DCC
Wilson B-factor (Å ²)	31.1	Xtriage
Anisotropy	0.330	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 46.8	EDS
Estimated twinning fraction	0.023 for k,h,-l	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Outliers	0 of 120846 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	9585	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IX6, SO4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.62	1/4523 (0.0%)	0.70	3/6137 (0.0%)
1	B	0.52	1/4457 (0.0%)	0.61	0/6049
All	All	0.57	2/8980 (0.0%)	0.66	3/12186 (0.0%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	274	CYS	CB-SG	-8.31	1.68	1.82
1	A	274	CYS	CB-SG	-8.15	1.68	1.82

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	277	ARG	NE-CZ-NH1	6.07	123.33	120.30
1	A	280	ARG	NE-CZ-NH1	-5.63	117.49	120.30
1	A	277	ARG	NE-CZ-NH2	-5.62	117.49	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4426	0	4428	22	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	B	4362	0	4373	22	0
2	A	41	0	31	0	0
2	B	41	0	31	0	0
3	A	30	0	0	2	0
3	B	10	0	0	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
5	A	403	0	0	4	0
5	B	270	0	0	4	0
All	All	9585	0	8863	46	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (46) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:488:CYS:HB2	5:A:603:HOH:O	1.76	0.85
1:A:461:GLN:H	1:A:461:GLN:HE21	1.37	0.72
3:A:581:SO4:O1	5:A:616:HOH:O	2.14	0.63
3:A:581:SO4:O4	5:A:671:HOH:O	2.16	0.61
1:B:434:LEU:CD1	1:B:439:LEU:HD11	2.34	0.58
1:A:200:ARG:HH12	1:A:316:ASN:HD21	1.50	0.58
1:A:160:ILE:HD12	1:A:282:SER:OG	2.06	0.56
1:B:160:ILE:HD12	1:B:282:SER:OG	2.05	0.56
1:B:82:LEU:HD13	1:B:249:ALA:HB2	1.87	0.56
1:A:182:LEU:HD12	1:A:243:CYS:SG	2.45	0.56
1:B:5:THR:HG23	1:B:278:ARG:HH12	1.71	0.55
1:A:461:GLN:NE2	1:A:461:GLN:H	2.05	0.54
1:B:321:VAL:HG22	1:B:365:SER:HB3	1.89	0.54
1:B:299:ALA:C	1:B:313:MET:HE1	2.32	0.49
1:B:390:THR:HB	1:B:391:PRO:HD3	1.95	0.49
1:A:200:ARG:HH12	1:A:316:ASN:ND2	2.10	0.49
1:B:419:LEU:HG	1:B:423:MET:CE	2.43	0.48
1:B:201:VAL:HG22	1:B:384:LEU:HG	1.95	0.48
1:A:184:GLN:NE2	5:A:779:HOH:O	2.47	0.48
1:B:184:GLN:NE2	5:B:810:HOH:O	2.47	0.48
1:A:327:ALA:O	1:A:331:GLU:HG3	2.14	0.47
1:B:419:LEU:HD13	1:B:477:TYR:CD1	2.50	0.47
1:A:434:LEU:HD21	1:A:510:LYS:HB2	1.96	0.47
1:A:346:TYR:O	1:A:347:SER:HB3	2.16	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:48:ARG:NH1	5:B:801:HOH:O	2.48	0.46
1:B:375:ASP:OD1	1:B:376:ALA:N	2.46	0.46
1:A:144:VAL:HB	1:A:394:ARG:HG2	1.97	0.45
1:B:196:SER:H	1:B:199:GLN:NE2	2.14	0.45
1:A:327:ALA:O	1:A:331:GLU:CG	2.65	0.45
1:A:172:LYS:HE3	1:A:560:ILE:HD13	1.99	0.45
1:A:219:TYR:HB3	1:A:320:LEU:HD23	1.97	0.44
1:B:562:HIS:O	1:B:563:SER:C	2.55	0.44
1:A:423:MET:HA	1:A:528:TRP:CZ2	2.53	0.44
1:A:470:SER:O	1:A:474:LEU:HG	2.18	0.44
1:A:176:TYR:OH	1:A:562:HIS:HE1	2.01	0.43
1:B:344:THR:HG23	1:B:349:PRO:HB3	2.01	0.43
1:B:200:ARG:HH22	1:B:316:ASN:HD21	1.67	0.43
1:B:430:PHE:O	1:B:434:LEU:HB2	2.19	0.42
1:B:141:LYS:NZ	5:B:585:HOH:O	2.53	0.42
1:B:182:LEU:N	1:B:183:PRO:CD	2.83	0.42
1:A:83:LEU:HB2	1:A:173:MET:HA	2.01	0.42
1:B:423:MET:HA	1:B:528:TRP:CZ2	2.55	0.42
1:A:346:TYR:O	1:A:347:SER:CB	2.68	0.42
1:A:93:PRO:HA	1:A:94:PRO:HD3	1.94	0.41
1:B:375:ASP:HB3	5:B:611:HOH:O	2.20	0.41
1:A:92:THR:O	1:A:109:ARG:HD2	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	566/581 (97%)	553 (98%)	11 (2%)	2 (0%)	39	27
1	B	556/581 (96%)	548 (99%)	8 (1%)	0	100	100
All	All	1122/1162 (97%)	1101 (98%)	19 (2%)	2 (0%)	52	42

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	153	GLY
1	A	347	SER

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	484/495 (98%)	477 (99%)	7 (1%)	74	71
1	B	477/495 (96%)	472 (99%)	5 (1%)	82	81
All	All	961/990 (97%)	949 (99%)	12 (1%)	76	76

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	68	LEU
1	A	160	ILE
1	A	274	CYS
1	A	352	ASP
1	A	461	GLN
1	A	487	SER
1	A	531	ARG
1	B	32	ARG
1	B	57	LEU
1	B	160	ILE
1	B	319	ASP
1	B	433	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	34	HIS
1	A	35	ASN
1	A	49	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	206	ASN
1	A	273	ASN
1	A	316	ASN
1	A	461	GLN
1	A	483	ASN
1	A	514	GLN
1	A	562	HIS
1	B	58	GLN
1	B	184	GLN
1	B	199	GLN
1	B	206	ASN
1	B	273	ASN
1	B	309	GLN
1	B	316	ASN
1	B	562	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no carbohydrates in this entry.

5.6 Ligand geometry ⓘ

Of 12 ligands modelled in this entry, 2 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	IX6	A	579	-	32,45,45	0.98	1 (3%)	47,70,70	2.02	8 (17%)
3	SO4	A	580	-	4,4,4	0.30	0	6,6,6	0.58	0
3	SO4	A	581	-	4,4,4	0.21	0	6,6,6	0.09	0
3	SO4	A	582	-	4,4,4	0.25	0	6,6,6	0.16	0
3	SO4	A	583	-	4,4,4	0.18	0	6,6,6	0.22	0
3	SO4	A	584	-	4,4,4	0.15	0	6,6,6	0.26	0
3	SO4	A	586	-	4,4,4	0.12	0	6,6,6	0.13	0
2	IX6	B	579	-	32,45,45	0.93	3 (9%)	47,70,70	1.93	11 (23%)
3	SO4	B	580	-	4,4,4	0.18	0	6,6,6	0.21	0
3	SO4	B	582	-	4,4,4	0.20	0	6,6,6	0.08	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IX6	A	579	-	-	0/13/54/54	0/2/5/5
3	SO4	A	580	-	-	0/0/0/0	0/0/0/0
3	SO4	A	581	-	-	0/0/0/0	0/0/0/0
3	SO4	A	582	-	-	0/0/0/0	0/0/0/0
3	SO4	A	583	-	-	0/0/0/0	0/0/0/0
3	SO4	A	584	-	-	0/0/0/0	0/0/0/0
3	SO4	A	586	-	-	0/0/0/0	0/0/0/0
2	IX6	B	579	-	-	0/13/54/54	0/2/5/5
3	SO4	B	580	-	-	0/0/0/0	0/0/0/0
3	SO4	B	582	-	-	0/0/0/0	0/0/0/0

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	579	IX6	C40-C35	2.01	1.51	1.48
2	A	579	IX6	C15-C10	2.18	1.53	1.50
2	B	579	IX6	C15-C10	2.35	1.53	1.50
2	B	579	IX6	C32-N7	2.37	1.40	1.37

All (19) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	579	IX6	O33-C32-N7	-6.48	112.95	121.45
2	B	579	IX6	O33-C32-N7	-4.40	115.68	121.45
2	B	579	IX6	C20-C21-C17	-2.91	120.68	123.78

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	579	IX6	O31-S12-O30	-2.75	114.44	117.11
2	A	579	IX6	C20-C21-C17	-2.37	121.25	123.78
2	B	579	IX6	C6-C5-N11	-2.30	114.56	118.91
2	B	579	IX6	O30-S12-C9	-2.20	104.27	109.09
2	B	579	IX6	C16-C17-C21	2.27	119.24	116.14
2	A	579	IX6	C1-C6-C5	2.39	122.64	118.93
2	B	579	IX6	C28-C26-C22	2.87	120.19	114.22
2	A	579	IX6	C28-C26-C22	3.02	120.49	114.22
2	B	579	IX6	C5-C4-N7	3.97	121.48	119.18
2	A	579	IX6	C5-C4-N7	4.06	121.53	119.18
2	B	579	IX6	C34-C32-N7	4.22	128.13	118.51
2	B	579	IX6	C22-O23-C19	4.32	125.78	117.62
2	A	579	IX6	C22-O23-C19	4.61	126.33	117.62
2	A	579	IX6	C34-C32-N7	4.69	129.20	118.51
2	A	579	IX6	C14-C15-C10	5.15	119.82	113.39
2	B	579	IX6	C14-C15-C10	5.37	120.10	113.39

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	581	SO4	2	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data ⓘ

6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	564/581 (97%)	0.98	75 (13%) 4 5	36, 45, 62, 99	0
1	B	560/581 (96%)	1.36	131 (23%) 1 1	36, 46, 63, 78	0
All	All	1124/1162 (96%)	1.17	206 (18%) 2 2	36, 46, 62, 99	0

All (206) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	23	ILE	9.0
1	A	152	GLY	6.8
1	A	150	GLU	5.9
1	B	563	SER	5.9
1	B	511	LEU	5.9
1	A	0	SER	5.8
1	B	530	VAL	5.6
1	A	151	LYS	5.5
1	B	542	ALA	5.5
1	B	24	ASN	5.4
1	B	330	GLN	5.4
1	B	25	PRO	5.3
1	B	519	ALA	5.1
1	B	212	LYS	5.1
1	B	149	PRO	5.0
1	B	529	ALA	5.0
1	B	57	LEU	4.8
1	B	548	SER	4.8
1	B	148	GLN	4.7
1	B	512	LEU	4.7
1	B	536	LEU	4.7
1	A	544	GLN	4.7
1	B	26	LEU	4.6
1	B	515	GLY	4.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	534	LEU	4.6
1	B	526	PHE	4.5
1	B	539	ILE	4.5
1	B	213	CYS	4.5
1	B	531	ARG	4.4
1	B	523	ARG	4.3
1	B	513	SER	4.3
1	B	384	LEU	4.2
1	B	507	VAL	4.2
1	B	337	ARG	4.0
1	B	546	ASP	4.0
1	A	153	GLY	3.9
1	A	409	LEU	3.8
1	B	27	SER	3.8
1	B	514	GLN	3.8
1	A	148	GLN	3.8
1	B	153	GLY	3.8
1	B	537	THR	3.8
1	B	413	ILE	3.8
1	B	29	SER	3.7
1	A	543	SER	3.6
1	B	535	LYS	3.6
1	B	518	ALA	3.6
1	B	377	SER	3.5
1	B	533	LYS	3.5
1	B	18	GLU	3.5
1	A	447	ILE	3.5
1	A	425	LEU	3.5
1	A	14	CYS	3.5
1	B	16	ALA	3.4
1	A	563	SER	3.4
1	B	414	MET	3.4
1	B	160	ILE	3.4
1	B	86	GLU	3.4
1	B	147	VAL	3.4
1	B	540	PRO	3.4
1	A	414	MET	3.3
1	A	534	LEU	3.3
1	B	541	ALA	3.3
1	A	193	PHE	3.3
1	B	547	LEU	3.3
1	B	438	GLN	3.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	149	PRO	3.2
1	B	440	GLU	3.2
1	A	384	LEU	3.2
1	B	287	THR	3.2
1	B	415	TYR	3.2
1	A	366	CYS	3.2
1	B	327	ALA	3.2
1	B	402	HIS	3.1
1	B	208	TRP	3.1
1	A	287	THR	3.0
1	A	548	SER	3.0
1	B	326	SER	3.0
1	B	309	GLN	3.0
1	B	366	CYS	3.0
1	A	421	ALA	3.0
1	A	410	GLY	3.0
1	B	339	PHE	2.9
1	B	502	HIS	2.9
1	A	285	LEU	2.9
1	A	284	VAL	2.9
1	B	491	LYS	2.9
1	A	542	ALA	2.9
1	A	293	LEU	2.8
1	B	338	ALA	2.8
1	B	443	LEU	2.8
1	A	413	ILE	2.8
1	A	289	CYS	2.8
1	B	375	ASP	2.8
1	B	419	LEU	2.8
1	B	353	PRO	2.8
1	B	521	CYS	2.8
1	A	235	VAL	2.7
1	B	527	ASN	2.7
1	B	469	LEU	2.7
1	A	540	PRO	2.7
1	B	285	LEU	2.7
1	B	362	LEU	2.7
1	A	295	CYS	2.7
1	B	161	VAL	2.7
1	B	522	GLY	2.7
1	B	334	ALA	2.7
1	B	509	ALA	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	204	LEU	2.6
1	B	28	ASN	2.6
1	A	556	SER	2.6
1	B	532	THR	2.6
1	B	556	SER	2.6
1	B	193	PHE	2.6
1	A	546	ASP	2.6
1	B	486	ALA	2.6
1	B	52	VAL	2.6
1	A	402	HIS	2.6
1	A	315	VAL	2.5
1	B	110	ASN	2.5
1	B	34	HIS	2.5
1	A	292	THR	2.5
1	A	86	GLU	2.5
1	B	106	LYS	2.5
1	A	539	ILE	2.5
1	A	290	GLY	2.5
1	B	310	ASP	2.5
1	A	294	THR	2.5
1	A	321	VAL	2.4
1	A	160	ILE	2.4
1	A	412	ILE	2.4
1	B	383	TYR	2.4
1	B	367	SER	2.4
1	B	331	GLU	2.4
1	A	261	TYR	2.4
1	A	228	VAL	2.4
1	B	228	VAL	2.4
1	A	320	LEU	2.3
1	B	306	ALA	2.3
1	B	210	SER	2.3
1	B	321	VAL	2.3
1	B	510	LYS	2.3
1	B	447	ILE	2.3
1	A	415	TYR	2.3
1	A	466	LEU	2.3
1	B	376	ALA	2.3
1	B	286	THR	2.3
1	B	490	ARG	2.3
1	A	239	ILE	2.3
1	A	555	TYR	2.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	420	TRP	2.3
1	A	314	LEU	2.3
1	B	31	LEU	2.3
1	B	434	LEU	2.3
1	B	21	LEU	2.3
1	A	445	CYS	2.3
1	B	289	CYS	2.3
1	A	224	PHE	2.3
1	A	16	ALA	2.3
1	A	448	TYR	2.3
1	A	260	LEU	2.2
1	A	233	ILE	2.2
1	B	392	LEU	2.2
1	A	192	GLY	2.2
1	A	450	ALA	2.2
1	B	543	SER	2.2
1	B	317	GLY	2.2
1	B	386	ARG	2.2
1	A	502[A]	HIS	2.2
1	B	204	LEU	2.2
1	B	260	LEU	2.2
1	B	352	ASP	2.2
1	B	211	LYS	2.2
1	B	538	PRO	2.2
1	B	412	ILE	2.2
1	B	404	PRO	2.1
1	A	200	ARG	2.1
1	A	424	ILE	2.1
1	A	418	THR	2.1
1	B	358	TYR	2.1
1	B	477	TYR	2.1
1	B	175	LEU	2.1
1	B	256	LEU	2.1
1	B	284	VAL	2.1
1	B	359	ASP	2.1
1	B	30	LEU	2.1
1	B	328	GLY	2.1
1	B	329	THR	2.1
1	A	262	ILE	2.1
1	A	560	ILE	2.1
1	A	392	LEU	2.1
1	A	395	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	201	VAL	2.1
1	A	411	ASN	2.1
1	A	330	GLN	2.1
1	B	420	TRP	2.0
1	B	466	LEU	2.0
1	B	545	LEU	2.0
1	B	14	CYS	2.0
1	A	440	GLU	2.0
1	B	357	GLU	2.0
1	B	126	LEU	2.0
1	B	397	TRP	2.0
1	A	110	ASN	2.0
1	B	370	VAL	2.0
1	A	317	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å ²)	Q<0.9
3	SO4	A	583	5/5	0.95	0.28	5.74	52,54,56,60	0
3	SO4	A	584	5/5	0.97	0.30	5.43	57,60,64,65	0
3	SO4	A	580	5/5	0.92	0.17	0.18	44,53,55,58	0
3	SO4	B	580	5/5	0.93	0.15	-0.70	75,77,83,83	0
2	IX6	B	579	41/41	0.95	0.10	-3.43	32,43,46,48	0
2	IX6	A	579	41/41	0.97	0.09	-4.09	25,29,35,39	0
3	SO4	A	582	5/5	0.96	0.35	-	77,80,84,85	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(\AA^2)	Q<0.9
3	SO4	B	582	5/5	0.90	0.24	-	100,102,105,105	0
4	CL	A	585	1/1	0.87	0.09	-	73,73,73,73	0
3	SO4	A	586	5/5	0.84	0.32	-	87,87,91,93	0
3	SO4	A	581	5/5	0.97	0.17	-	70,72,72,73	0
4	CL	B	581	1/1	0.94	0.13	-	64,64,64,64	0

6.5 Other polymers [i](#)

There are no such residues in this entry.