



# Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 09:33 AM GMT

PDB ID : 3IW4  
Title : Crystal structure of PKC alpha in complex with NVP-AEB071  
Authors : Stark, W.; Rummel, G.; Strauss, A.; Cowan-Jacob, S.W.  
Deposited on : 2009-09-02  
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.  
We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.7 (RC4), CSD as536be (2015)  
Xtriage (Phenix) : 1.9-1692  
EDS : rb-20026688  
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)  
Refmac : 5.8.0135  
CCP4 : 6.5.0  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : trunk26865


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## *X-RAY DIFFRACTION*

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	91344	2393 (2.80-2.80)
Clashscore	102246	2827 (2.80-2.80)
Ramachandran outliers	100387	2782 (2.80-2.80)
Sidechain outliers	100360	2784 (2.80-2.80)
RSRZ outliers	91569	2404 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	360	
1	B	360	
1	C	360	

## 2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 8196 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein kinase C alpha type.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	332	Total	C	N	O	P	S	0	0	0
			2686	1730	441	495	2	18			
1	B	327	Total	C	N	O	P	S	0	0	0
			2658	1714	436	488	2	18			
1	C	334	Total	C	N	O	P	S	0	0	0
			2707	1742	445	500	2	18			

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	319	MET	-	CLONING ARTIFACT	UNP P17252
A	497	GLU	THR	ENGINEERED	UNP P17252
A	673	HIS	-	EXPRESSION TAG	UNP P17252
A	674	HIS	-	EXPRESSION TAG	UNP P17252
A	675	HIS	-	EXPRESSION TAG	UNP P17252
A	676	HIS	-	EXPRESSION TAG	UNP P17252
A	677	HIS	-	EXPRESSION TAG	UNP P17252
A	678	HIS	-	EXPRESSION TAG	UNP P17252
B	319	MET	-	CLONING ARTIFACT	UNP P17252
B	497	GLU	THR	ENGINEERED	UNP P17252
B	673	HIS	-	EXPRESSION TAG	UNP P17252
B	674	HIS	-	EXPRESSION TAG	UNP P17252
B	675	HIS	-	EXPRESSION TAG	UNP P17252
B	676	HIS	-	EXPRESSION TAG	UNP P17252
B	677	HIS	-	EXPRESSION TAG	UNP P17252
B	678	HIS	-	EXPRESSION TAG	UNP P17252
C	319	MET	-	CLONING ARTIFACT	UNP P17252
C	497	GLU	THR	ENGINEERED	UNP P17252
C	673	HIS	-	EXPRESSION TAG	UNP P17252
C	674	HIS	-	EXPRESSION TAG	UNP P17252
C	675	HIS	-	EXPRESSION TAG	UNP P17252
C	676	HIS	-	EXPRESSION TAG	UNP P17252
C	677	HIS	-	EXPRESSION TAG	UNP P17252

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	678	HIS	-	EXPRESSION TAG	UNP P17252

- Molecule 2 is 3-(1H-INDOL-3-YL)-4-[2-(4-METHYLPIPERAZIN-1-YL)QUINAZOLIN-4-YL]-1H-PYRROLE-2,5-DIONE (three-letter code: LW4) (formula: C<sub>25</sub>H<sub>22</sub>N<sub>6</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total 33	C 25	N 6	O 2	0	0
2	B	1	Total 33	C 25	N 6	O 2	0	0
2	C	1	Total 33	C 25	N 6	O 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	19	Total O 19 19	0	0
3	B	7	Total O 7 7	0	0
3	C	20	Total O 20 20	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Protein kinase C alpha type



#### • Molecule 1: Protein kinase C alpha type



#### • Molecule 1: Protein kinase C alpha type



MET	I429	V526	F626
PRO	Q430	L527	D627
SER		L528	
GLU	F435	T529	I637
ASP	K436	E530	T638
ARG	E437	M531	P639
LYS	P438	L532	
GLN	Q439		L643
PRO	A440	D539	V644
SER	V441	E540	I645
ASN	F442	E541	
	Y443		F656
I330	A444	D544	
I331		E545	V664
D332	I447		
	S448	S549	I667
L345			
	L451	L561	S670
S349		S562	ALA
F360	L454	A565	VAL
		V566	HIS
L355	I459		HIS
A356	I460	K570	HIS
D357			HIS
R358	L464		HIS
K359		M573	HIS
	D467	T574	
L364		K575	
	M470		
K371		E586	
K372	E474	G587	
		E588	
I376	I477	R589	
	K478	D590	
E382	I479	V591	
C383	A480	R592	
T384	D481		
K385		D601	
		M602	
K388	C485	E603	
R389	K486	K604	
V390	E487		
	H488	L605	
	M489	E606	
T401	M490	I607	
	D491	R608	
H404			
S405	G492	P612	
C406	V493	P613	
	T494	F614	
D411	T495	M615	
	R496	P616	
E418		R617	
	T501	V618	
M421	P507	CYS	GLY
G422		GLY	LYS
G423		LYS	GLY
D424	A511	ALA	ALA
L425	Y512	GLU	GLU
Q513	Q513		
I426	Y427		
H428	G525		

## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	43.87Å 100.67Å 251.34Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	64.42 – 2.80 53.30 – 2.80	Depositor EDS
% Data completeness (in resolution range)	99.5 (64.42-2.80) 99.5 (53.30-2.80)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.05 (at 2.81Å)	Xtriage
Refinement program	REFMAC 5.5.0063	Depositor
R, $R_{free}$	0.192 , 0.277 0.193 , 0.277	Depositor DCC
$R_{free}$ test set	1417 reflections (5.27%)	DCC
Wilson B-factor (Å <sup>2</sup> )	49.1	Xtriage
Anisotropy	0.077	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 45.5	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.45$ , $\langle L^2 \rangle = 0.28$	Xtriage
Outliers	1 of 28329 reflections (0.004%)	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	8196	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	39.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 14.06% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: TPO, LW4, SEP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.57	1/2730 (0.0%)	0.69	0/3681
1	B	0.53	0/2702	0.65	0/3640
1	C	0.61	2/2751 (0.1%)	0.71	0/3709
All	All	0.57	3/8183 (0.0%)	0.68	0/11030

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	406	CYS	CB-SG	-8.07	1.68	1.82
1	C	406	CYS	CB-SG	-7.46	1.69	1.82
1	C	383	CYS	CB-SG	-5.09	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	420	VAL	Peptide



## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2686	0	2635	88	0
1	B	2658	0	2611	120	0
1	C	2707	0	2661	86	0
2	A	33	0	22	5	0
2	B	33	0	22	3	0
2	C	33	0	22	6	0
3	A	19	0	0	1	0
3	B	7	0	0	0	0
3	C	20	0	0	2	0
All	All	8196	0	7973	296	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 18.

All (296) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:436:LYS:HE2	1:C:438:PRO:HB2	1.28	1.09
1:C:437:GLU:O	1:C:441:VAL:HG23	1.62	0.97
1:A:460:ILE:HG22	1:A:462:ARG:HG3	1.48	0.94
1:A:350:PHE:O	1:A:368:LYS:HE3	1.72	0.90
1:C:501:THR:HG22	3:C:17:HOH:O	1.77	0.84
1:A:404:HIS:HD2	1:A:405:SER:OG	1.62	0.82
1:B:428:HIS:CD2	1:B:471:LEU:HD12	2.15	0.81
1:A:460:ILE:CG2	1:A:462:ARG:HG3	2.10	0.80
1:B:408:GLN:HG2	1:B:657:SEP:O2P	1.83	0.79
1:A:589:ARG:O	1:A:593:GLU:HG3	1.82	0.79
1:B:551:MET:HG2	1:C:667:ILE:CG2	2.12	0.79
1:C:401:THR:HG21	1:C:480:ALA:HB2	1.65	0.78
1:B:429:ILE:HD11	1:B:531:MET:HA	1.64	0.78
1:A:604:LYS:HG3	1:A:609:GLU:HB2	1.65	0.78
1:C:390:VAL:HG22	1:C:459:ILE:HD13	1.64	0.78
1:B:388:LYS:HE3	1:B:656:PHE:O	1.86	0.76
1:C:422:GLY:O	1:C:428:HIS:HE1	1.69	0.76
1:B:490:MET:O	1:B:493:VAL:HG23	1.86	0.75

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:599:ARG:NH1	3:A:21:HOH:O	2.18	0.75
1:B:593:GLU:O	1:B:594:HIS:O	2.06	0.74
1:C:487:GLU:O	1:C:489:MET:HG2	1.88	0.74
1:B:486:LYS:HG3	1:B:489:MET:HE2	1.70	0.73
1:B:581:LEU:HD12	1:B:590:ASP:HB3	1.71	0.72
1:C:447:ILE:HG13	1:C:477:ILE:HD13	1.72	0.71
1:C:388:LYS:HE3	1:C:656:PHE:O	1.90	0.71
1:B:640:PRO:HB3	1:B:645:ILE:HD11	1.71	0.70
1:B:404:HIS:HB3	1:B:416:VAL:HG12	1.74	0.69
1:A:595:ALA:O	1:A:598:ARG:HG3	1.92	0.68
1:A:589:ARG:HG3	1:A:593:GLU:OE2	1.94	0.68
1:B:358:ARG:HB3	1:B:361:THR:HG23	1.76	0.68
1:A:437:GLU:O	1:A:441:VAL:HG23	1.94	0.68
1:B:602:TRP:O	1:B:606:GLU:HG2	1.95	0.67
1:A:564:GLU:HG2	1:A:598:ARG:NH1	2.10	0.66
1:C:390:VAL:HG22	1:C:459:ILE:CD1	2.25	0.66
1:A:422:GLY:N	1:A:471:LEU:O	2.25	0.66
1:C:401:THR:CG2	1:C:480:ALA:HB2	2.25	0.66
1:C:436:LYS:HG2	1:C:439:GLN:HG2	1.79	0.65
1:B:472:ASP:OD2	1:B:608:ARG:NH2	2.29	0.65
1:B:551:MET:HG2	1:C:667:ILE:HG23	1.77	0.65
1:B:664:VAL:HG12	1:B:666:PRO:HD2	1.78	0.65
1:B:422:GLY:O	1:B:428:HIS:NE2	2.30	0.64
1:C:435:PHE:HB3	1:C:439:GLN:HG3	1.77	0.64
1:B:661:PRO:HG2	1:B:662:GLN:HE21	1.62	0.64
1:C:588:GLU:O	1:C:592:ARG:HB2	1.98	0.64
1:C:345:LEU:HD21	1:C:355:LEU:HB2	1.80	0.63
1:B:368:LYS:NZ	1:B:387:GLU:OE1	2.28	0.63
1:B:605:LEU:C	1:B:607:ASN:H	2.02	0.63
1:C:436:LYS:HE2	1:C:438:PRO:CB	2.16	0.63
1:B:511:ALA:O	1:B:512:TYR:HB2	1.99	0.63
1:A:445:ALA:HB1	1:A:605:LEU:CD2	2.28	0.63
1:B:439:GLN:HG3	1:B:613:PRO:HB3	1.80	0.63
1:C:588:GLU:OE2	1:C:592:ARG:NH1	2.32	0.63
1:C:437:GLU:OE1	1:C:562:SER:HB3	1.99	0.62
1:C:411:ASP:HB3	1:C:645:ILE:CD1	2.28	0.62
1:B:559:LYS:HE3	1:C:330:ASN:HB2	1.83	0.61
1:B:453:PHE:O	1:B:457:ARG:HG2	2.00	0.61
1:C:421:ASN:ND2	1:C:618:VAL:HG23	2.15	0.61
1:A:644:VAL:HA	1:B:426:MET:CE	2.30	0.61
1:C:627:ASP:C	1:C:627:ASP:OD1	2.39	0.61

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:590:ASP:N	1:C:590:ASP:OD1	2.34	0.61
1:B:541:GLU:H	1:B:545:GLU:HG2	1.66	0.60
1:A:398:PRO:CB	1:A:608:ARG:HD2	2.31	0.60
1:C:486:LYS:HE2	1:C:495:THR:HG21	1.84	0.60
1:A:476:HIS:CE1	1:A:612:PRO:HG3	2.36	0.60
2:A:901:LW4:H48	2:A:901:LW4:C16	2.32	0.59
1:B:434:LYS:HD2	1:B:532:LEU:O	2.03	0.59
1:B:645:ILE:HA	1:B:648:ILE:HG13	1.84	0.59
1:A:398:PRO:HB2	1:A:608:ARG:HD2	1.85	0.59
1:A:510:ILE:HB	1:A:551:MET:HE1	1.84	0.59
1:B:605:LEU:O	1:B:607:ASN:N	2.36	0.58
1:B:638:TPO:HG23	1:B:639:PRO:HD2	1.85	0.58
1:B:641:ASP:OD1	1:B:641:ASP:C	2.42	0.58
1:C:444:ALA:CB	1:C:528:LEU:HD11	2.34	0.58
1:C:422:GLY:O	1:C:428:HIS:CE1	2.54	0.58
1:C:371:LYS:NZ	1:C:638:TPO:O2P	2.33	0.58
1:B:460:ILE:CD1	1:B:489:MET:HG3	2.33	0.58
1:C:436:LYS:CE	1:C:438:PRO:HB2	2.19	0.58
1:B:428:HIS:CD2	1:B:471:LEU:CD1	2.86	0.58
1:C:481:ASP:HB2	2:C:901:LW4:N19	2.19	0.58
1:B:442:PHE:CZ	1:B:446:GLU:OE2	2.56	0.58
1:B:505:ILE:CG2	1:B:509:ILE:HB	2.34	0.57
1:A:445:ALA:HB1	1:A:605:LEU:HD21	1.86	0.57
1:B:424:ASP:HA	1:B:470:MET:HA	1.87	0.57
2:A:901:LW4:C48	2:A:901:LW4:N17	2.68	0.56
1:C:467:ASP:OD2	2:C:901:LW4:H44	2.04	0.56
1:A:451:LEU:HD11	1:A:464:LEU:HD22	1.87	0.56
1:B:397:PRO:HD3	1:B:453:PHE:CD1	2.41	0.56
1:B:593:GLU:O	1:B:594:HIS:C	2.44	0.56
1:A:557:TYR:HE2	1:A:569:CYS:HB3	1.71	0.56
1:B:382:GLU:H	1:B:382:GLU:CD	2.10	0.56
1:B:524:TYR:O	1:B:528:LEU:HB2	2.07	0.55
1:A:382:GLU:HA	1:A:382:GLU:OE1	2.06	0.55
1:B:564:GLU:HB3	1:B:596:PHE:HA	1.89	0.55
1:C:486:LYS:CE	1:C:495:THR:HG21	2.37	0.55
1:B:496:ARG:HG2	1:B:514:PRO:HG3	1.87	0.55
1:C:602:TRP:O	1:C:606:GLU:HG3	2.07	0.55
1:C:586:GLU:O	1:C:590:ASP:OD1	2.25	0.54
1:C:496:ARG:HH21	1:C:512:TYR:HB3	1.73	0.54
1:A:409:THR:HG22	1:A:412:ARG:HB2	1.89	0.54
1:B:471:LEU:HD23	1:B:477:ILE:HD13	1.90	0.54

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:540:GLY:CA	1:B:545:GLU:HG2	2.38	0.54
2:C:901:LW4:H22	2:C:901:LW4:C10	2.38	0.53
1:C:424:ASP:HA	1:C:470:MET:HA	1.89	0.53
1:A:368:LYS:NZ	1:A:387:GLU:OE1	2.41	0.53
1:B:452:PHE:CD1	1:B:588:GLU:HG3	2.44	0.53
1:C:372:LYS:O	1:C:376:ILE:HG13	2.09	0.53
1:A:528:LEU:HD23	1:A:531:MET:HE3	1.89	0.53
1:C:401:THR:HG23	1:C:479:ILE:O	2.09	0.53
1:A:340:ASN:HB2	1:A:357:ASP:OD1	2.09	0.53
2:C:901:LW4:H22	2:C:901:LW4:O15	2.10	0.52
1:A:541:GLU:N	1:A:545:GLU:OE2	2.25	0.52
1:C:527:LEU:O	1:C:528:LEU:C	2.44	0.52
1:A:409:THR:CG2	1:A:412:ARG:HB2	2.40	0.52
1:A:638:TPO:O3P	1:A:638:TPO:N	2.24	0.52
1:A:528:LEU:HD23	1:A:531:MET:CE	2.39	0.52
1:B:601:ASP:HB3	1:B:604:LYS:HD2	1.92	0.52
1:B:439:GLN:HG3	1:B:613:PRO:CB	2.40	0.52
1:B:398:PRO:HB2	1:B:608:ARG:HD2	1.91	0.52
1:B:484:MET:CE	1:B:499:CYS:HB2	2.40	0.52
1:C:566:VAL:CG1	1:C:570:LYS:HE3	2.40	0.52
1:A:644:VAL:HA	1:B:426:MET:HE1	1.91	0.51
1:A:637:LEU:O	1:A:638:TPO:C	2.58	0.51
1:B:589:ARG:O	1:B:590:ASP:C	2.48	0.51
1:B:587:GLY:O	1:B:590:ASP:HB2	2.11	0.51
1:C:345:LEU:CD2	1:C:355:LEU:HB2	2.40	0.51
1:C:350:PHE:C	1:C:350:PHE:CD2	2.83	0.51
1:A:465:LYS:HA	1:A:504:TYR:CE2	2.45	0.51
1:A:644:VAL:HA	1:B:426:MET:HE3	1.93	0.50
1:B:638:TPO:N	1:B:638:TPO:O1P	2.35	0.50
1:B:546:LEU:O	1:B:549:SER:HB3	2.11	0.50
1:B:505:ILE:HG22	1:B:506:ALA:O	2.11	0.50
1:C:460:ILE:CD1	1:C:489:MET:HG3	2.42	0.50
1:B:429:ILE:HG13	1:B:435:PHE:CE2	2.46	0.50
1:A:422:GLY:HA3	1:A:471:LEU:HB2	1.93	0.50
1:C:525:GLY:O	1:C:573:MET:HE1	2.11	0.50
1:A:587:GLY:O	1:A:590:ASP:HB2	2.11	0.50
1:A:473:SER:O	1:A:616:PRO:HD2	2.11	0.50
1:A:599:ARG:HH11	1:A:599:ARG:HG2	1.78	0.49
1:B:428:HIS:HD2	1:B:471:LEU:CD1	2.24	0.49
1:A:607:ASN:HB2	1:A:609:GLU:HG3	1.94	0.49
1:B:532:LEU:HD13	1:B:565:ALA:HB1	1.94	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:597:PHE:CD2	1:B:602:TRP:HZ2	2.31	0.49
1:A:524:TYR:O	1:A:528:LEU:HB2	2.12	0.49
1:B:429:ILE:HG22	1:B:430:GLN:N	2.26	0.49
1:B:541:GLU:N	1:B:545:GLU:HG2	2.28	0.49
1:B:535:GLN:OE1	1:B:535:GLN:HA	2.13	0.48
2:B:901:LW4:C10	2:B:901:LW4:H22	2.43	0.48
1:B:445:ALA:O	1:B:448:SER:OG	2.22	0.48
1:B:442:PHE:CD2	1:B:613:PRO:HD2	2.48	0.48
1:B:458:GLY:HA2	1:B:490:MET:HG3	1.95	0.48
1:C:490:MET:HA	1:C:490:MET:HE3	1.95	0.48
1:C:421:ASN:ND2	1:C:618:VAL:CG2	2.77	0.48
1:B:601:ASP:OD2	1:B:604:LYS:HG3	2.13	0.48
1:B:394:LEU:CD2	1:B:662:GLN:HE22	2.27	0.47
1:B:599:ARG:C	1:B:600:ILE:HD12	2.34	0.47
1:B:516:GLY:C	1:B:518:SER:H	2.17	0.47
1:B:558:PRO:O	1:B:560:SER:N	2.47	0.47
1:B:398:PRO:CB	1:B:608:ARG:HD2	2.45	0.47
1:C:507:PRO:HG2	1:C:575:LYS:HA	1.97	0.47
1:C:618:VAL:O	1:C:618:VAL:HG13	2.14	0.47
1:A:376:ILE:O	1:A:377:GLN:C	2.53	0.47
1:B:551:MET:HG2	1:C:667:ILE:HG22	1.93	0.47
1:A:557:TYR:HE2	1:A:569:CYS:CB	2.28	0.47
1:A:343:MET:O	1:A:354:MET:HG3	2.15	0.47
1:C:350:PHE:CE1	2:C:901:LW4:H38A	2.50	0.47
1:B:505:ILE:HG23	1:B:509:ILE:HD12	1.97	0.47
1:A:402:GLN:HB2	1:A:418:GLU:CG	2.45	0.46
1:A:428:HIS:CD2	1:A:471:LEU:HD12	2.50	0.46
1:B:605:LEU:C	1:B:607:ASN:N	2.68	0.46
1:A:420:VAL:HG12	1:A:421:ASN:N	2.30	0.46
1:C:350:PHE:HD2	1:C:350:PHE:C	2.19	0.46
1:C:607:ASN:O	1:C:608:ARG:HB2	2.14	0.46
1:C:332:ASP:OD2	1:C:404:HIS:HE1	1.98	0.46
1:B:665:HIS:N	1:B:666:PRO:HD2	2.31	0.46
1:B:415:PHE:N	1:B:415:PHE:CD1	2.84	0.46
1:C:425:LEU:HA	1:C:425:LEU:HD12	1.75	0.46
1:B:391:LEU:HD23	1:B:391:LEU:HA	1.73	0.46
1:C:359:LYS:HE3	1:C:359:LYS:HB2	1.35	0.46
1:A:461:TYR:N	1:A:520:ASP:OD2	2.41	0.46
2:C:901:LW4:O15	2:C:901:LW4:C22	2.63	0.46
1:B:474:GLU:HB2	1:B:476:HIS:HD2	1.79	0.46
1:B:437:GLU:HB3	1:B:438:PRO:HD3	1.98	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:638:TPO:HG23	1:C:639:PRO:HD2	1.97	0.46
1:A:378:ASP:O	1:A:379:ASP:HB2	2.15	0.46
1:A:564:GLU:HG2	1:A:598:ARG:HH11	1.80	0.45
1:B:486:LYS:CG	1:B:489:MET:HE2	2.44	0.45
1:A:647:ASN:ND2	1:B:504:TYR:OH	2.45	0.45
1:A:526:VAL:HG22	1:A:537:PRO:HG2	1.98	0.45
1:B:461:TYR:O	1:B:462:ARG:HB2	2.17	0.45
1:B:404:HIS:HB3	1:B:416:VAL:O	2.17	0.45
1:B:549:SER:O	1:B:553:HIS:HB3	2.16	0.45
1:A:559:LYS:HE3	1:A:559:LYS:HB3	1.69	0.45
1:B:665:HIS:O	1:B:666:PRO:C	2.54	0.45
1:A:475:GLY:O	1:A:612:PRO:HB3	2.17	0.45
2:B:901:LW4:C16	2:B:901:LW4:H48	2.47	0.45
1:C:490:MET:O	1:C:491:ASP:C	2.55	0.45
1:B:540:GLY:HA2	1:B:545:GLU:HG2	1.98	0.45
1:A:537:PRO:HB2	1:A:538:PHE:CD2	2.52	0.45
1:A:513:GLN:OE1	1:A:513:GLN:HA	2.17	0.45
1:C:526:VAL:O	1:C:530:GLU:HG3	2.17	0.45
1:B:358:ARG:HB3	1:B:361:THR:CG2	2.45	0.45
1:C:439:GLN:HB3	1:C:613:PRO:HB3	1.98	0.44
1:C:444:ALA:HB1	1:C:528:LEU:HD11	1.99	0.44
1:B:429:ILE:CG2	1:B:430:GLN:N	2.79	0.44
1:B:565:ALA:O	1:B:568:ILE:HG22	2.17	0.44
2:B:901:LW4:H22	2:B:901:LW4:O15	2.17	0.44
1:A:398:PRO:O	1:A:478:LYS:NZ	2.41	0.44
1:B:437:GLU:O	1:B:441:VAL:HG23	2.18	0.44
1:A:374:VAL:O	1:A:375:VAL:C	2.55	0.44
1:B:631:THR:OG1	1:B:632:ARG:N	2.50	0.44
1:A:396:LYS:HB2	1:A:396:LYS:HE2	1.89	0.44
1:A:594:HIS:C	1:A:596:PHE:N	2.71	0.44
1:C:614:PHE:HE1	1:C:616:PRO:HA	1.83	0.44
1:A:368:LYS:HE2	1:A:370:LEU:HD11	2.00	0.43
1:B:516:GLY:C	1:B:518:SER:N	2.71	0.43
1:C:385:MET:HB3	1:C:389:ARG:HH12	1.83	0.43
1:B:427:TYR:C	1:B:427:TYR:CD2	2.91	0.43
1:B:628:LYS:HG3	1:B:628:LYS:H	1.38	0.43
1:B:428:HIS:O	1:B:429:ILE:C	2.56	0.43
2:A:901:LW4:H22	2:A:901:LW4:C10	2.48	0.43
1:A:418:GLU:HG3	1:A:418:GLU:O	2.18	0.43
1:A:648:ILE:O	1:A:650:GLN:N	2.51	0.43
1:C:418:GLU:OE2	1:C:478:LYS:HE3	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:487:GLU:O	1:B:489:MET:HE2	2.18	0.43
1:B:665:HIS:N	1:B:666:PRO:CD	2.81	0.43
1:C:411:ASP:HB3	1:C:645:ILE:HD12	2.00	0.43
1:C:451:LEU:HD11	1:C:464:LEU:HD22	2.01	0.43
1:A:369:ILE:HG12	1:A:414:TYR:CD1	2.53	0.43
1:A:382:GLU:CA	1:A:382:GLU:OE1	2.66	0.43
1:B:536:PRO:HA	1:B:537:PRO:HD3	1.88	0.43
1:B:612:PRO:HA	1:B:613:PRO:HD2	1.81	0.43
1:A:369:ILE:HG12	1:A:414:TYR:HD1	1.83	0.43
1:C:489:MET:HE1	1:C:493:VAL:CG1	2.49	0.43
1:B:530:GLU:O	1:B:534:GLY:N	2.46	0.43
1:A:462:ARG:O	1:A:484:MET:HE2	2.18	0.43
1:C:460:ILE:O	1:C:485:CYS:HA	2.18	0.43
1:A:637:LEU:HD12	1:A:637:LEU:HA	1.89	0.43
1:B:465:LYS:HA	1:B:504:TYR:CE2	2.54	0.43
1:A:368:LYS:HB3	1:A:415:PHE:HB2	2.00	0.42
1:B:464:LEU:HD12	1:B:464:LEU:HA	1.79	0.42
1:A:355:LEU:HA	1:A:355:LEU:HD12	1.75	0.42
1:C:489:MET:CE	1:C:493:VAL:HG11	2.48	0.42
1:B:425:LEU:O	1:B:426:MET:C	2.58	0.42
2:A:901:LW4:H22	2:A:901:LW4:O15	2.19	0.42
1:B:506:ALA:HB3	1:B:519:VAL:HG12	2.01	0.42
1:B:381:VAL:HG11	1:B:652:ASP:HB3	2.01	0.42
1:B:552:GLU:HB3	1:C:664:VAL:HG13	2.00	0.42
1:A:502:PRO:HA	1:A:505:ILE:HG13	2.00	0.42
1:A:453:PHE:CE1	1:A:457:ARG:CZ	3.03	0.42
1:A:402:GLN:HB2	1:A:418:GLU:CD	2.40	0.42
1:A:425:LEU:HG	1:A:469:VAL:HG12	2.00	0.42
1:A:634:GLN:HA	1:A:635:PRO:HD3	1.92	0.42
1:C:411:ASP:HB3	1:C:645:ILE:HD11	2.00	0.42
1:A:370:LEU:O	1:A:412:ARG:HA	2.20	0.42
1:B:477:ILE:HD13	1:B:477:ILE:HA	1.76	0.42
2:A:901:LW4:C48	2:A:901:LW4:C16	2.96	0.42
1:B:484:MET:HE2	1:B:499:CYS:HB2	2.02	0.42
1:B:564:GLU:N	1:B:564:GLU:OE1	2.53	0.42
1:B:476:HIS:CD2	1:B:612:PRO:HG3	2.55	0.42
1:C:411:ASP:N	1:C:411:ASP:OD1	2.53	0.42
1:C:570:LYS:HA	3:C:28:HOH:O	2.20	0.42
1:A:518:SER:HA	1:A:583:CYS:SG	2.60	0.42
1:C:474:GLU:O	1:C:612:PRO:HG2	2.20	0.42
1:B:581:LEU:CD1	1:B:590:ASP:HB3	2.44	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:402:GLN:HB2	1:A:418:GLU:HB3	2.02	0.41
1:B:378:ASP:HB3	1:B:380:ASP:OD2	2.20	0.41
1:B:471:LEU:HA	1:B:476:HIS:O	2.20	0.41
1:C:447:ILE:O	1:C:448:SER:C	2.56	0.41
1:A:564:GLU:CG	1:A:598:ARG:NH1	2.83	0.41
1:C:643:LEU:O	1:C:644:VAL:C	2.58	0.41
1:C:511:ALA:HB3	1:C:513:GLN:HG2	2.01	0.41
1:C:390:VAL:CG2	1:C:459:ILE:HD13	2.44	0.41
1:A:528:LEU:HA	1:A:528:LEU:HD23	1.72	0.41
1:C:427:TYR:HA	1:C:430:GLN:HE21	1.84	0.41
1:B:612:PRO:O	1:B:613:PRO:C	2.59	0.41
1:A:445:ALA:HB1	1:A:605:LEU:HD22	2.03	0.41
1:B:405:SER:HB2	1:B:658:TYR:O	2.21	0.41
1:C:489:MET:HE2	1:C:489:MET:HA	2.03	0.41
1:C:454:LEU:HD23	1:C:454:LEU:HA	1.95	0.41
1:C:601:ASP:OD2	1:C:604:LYS:HG3	2.20	0.41
1:B:460:ILE:O	1:B:485:CYS:HA	2.21	0.41
1:A:428:HIS:O	1:A:431:GLN:HB2	2.21	0.41
1:C:443:TYR:O	1:C:444:ALA:C	2.57	0.41
1:A:352:LYS:HD3	1:A:354:MET:CE	2.51	0.41
1:C:541:GLU:HB2	1:C:545:GLU:OE1	2.21	0.41
1:A:439:GLN:HG3	1:A:613:PRO:HG2	2.03	0.41
1:B:405:SER:HB2	1:B:659:VAL:HA	2.03	0.41
1:A:442:PHE:CD2	1:A:613:PRO:HD3	2.56	0.41
1:A:541:GLU:HB2	1:A:545:GLU:OE2	2.21	0.40
1:C:532:LEU:HD13	1:C:565:ALA:HB1	2.03	0.40
1:B:627:ASP:C	1:B:627:ASP:OD1	2.59	0.40
1:C:489:MET:CE	1:C:493:VAL:CG1	2.99	0.40
1:A:406:CYS:HB3	1:A:656:PHE:CE2	2.56	0.40
1:A:627:ASP:OD1	1:A:628:LYS:N	2.54	0.40
1:B:593:GLU:HA	1:B:593:GLU:OE1	2.21	0.40
1:A:600:ILE:HA	1:A:600:ILE:HD13	1.92	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries



of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	326/360 (91%)	286 (88%)	37 (11%)	3 (1%)	21	55
1	B	319/360 (89%)	281 (88%)	27 (8%)	11 (3%)	5	16
1	C	328/360 (91%)	295 (90%)	30 (9%)	3 (1%)	21	55
All	All	973/1080 (90%)	862 (89%)	94 (10%)	17 (2%)	11	36

All (17) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	594	HIS
1	B	362	GLU
1	B	559	LYS
1	B	606	GLU
1	B	613	PRO
1	C	488	HIS
1	C	491	ASP
1	B	481	ASP
1	A	649	ASP
1	A	652	ASP
1	B	590	ASP
1	B	593	GLU
1	C	481	ASP
1	A	342	LEU
1	B	429	ILE
1	B	578	ALA
1	B	585	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	289/316 (92%)	268 (93%)	21 (7%)	17	44

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	B	287/316 (91%)	262 (91%)	25 (9%)	13	35
1	C	293/316 (93%)	275 (94%)	18 (6%)	23	55
All	All	869/948 (92%)	805 (93%)	64 (7%)	17	43

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	334	VAL
1	A	335	LYS
1	A	337	THR
1	A	338	ASP
1	A	340	ASN
1	A	343	MET
1	A	361	THR
1	A	364	LEU
1	A	424	ASP
1	A	436	LYS
1	A	467	ASP
1	A	491	ASP
1	A	527	LEU
1	A	528	LEU
1	A	559	LYS
1	A	561	LEU
1	A	589	ARG
1	A	617	LYS
1	A	618	VAL
1	A	628	LYS
1	A	637	LEU
1	B	332	ASP
1	B	334	VAL
1	B	335	LYS
1	B	342	LEU
1	B	357	ASP
1	B	363	GLU
1	B	364	LEU
1	B	401	THR
1	B	410	VAL
1	B	412	ARG
1	B	415	PHE
1	B	421	ASN
1	B	429	ILE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	473	SER
1	B	474	GLU
1	B	495	THR
1	B	544	ASP
1	B	548	GLN
1	B	551	MET
1	B	561	LEU
1	B	563	LYS
1	B	588	GLU
1	B	626	PHE
1	B	628	LYS
1	B	665	HIS
1	C	349	SER
1	C	350	PHE
1	C	357	ASP
1	C	364	LEU
1	C	382	GLU
1	C	467	ASP
1	C	477	ILE
1	C	495	THR
1	C	539	ASP
1	C	544	ASP
1	C	549	SER
1	C	561	LEU
1	C	562	SER
1	C	590	ASP
1	C	592	ARG
1	C	603	GLU
1	C	637	LEU
1	C	667	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (20) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	377	GLN
1	A	404	HIS
1	A	430	GLN
1	A	439	GLN
1	A	476	HIS
1	A	607	ASN
1	A	634	GLN
1	A	647	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	665	HIS
1	B	340	ASN
1	B	421	ASN
1	B	430	GLN
1	B	439	GLN
1	B	554	ASN
1	B	662	GLN
1	C	404	HIS
1	C	428	HIS
1	C	430	GLN
1	C	607	ASN
1	C	642	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

6 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
1	TPO	A	638	1	8,10,11	0.77	0	7,14,16	1.43	1 (14%)
1	SEP	A	657	1	8,9,10	1.72	2 (25%)	8,12,14	0.87	0
1	TPO	B	638	1	8,10,11	0.79	0	7,14,16	1.93	3 (42%)
1	SEP	B	657	1	8,9,10	1.58	1 (12%)	8,12,14	0.94	0
1	TPO	C	638	1	8,10,11	0.67	0	7,14,16	1.74	3 (42%)
1	SEP	C	657	1	8,9,10	1.61	2 (25%)	8,12,14	1.28	2 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means

no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	638	1	-	0/8/11/13	0/0/0/0
1	SEP	A	657	1	-	0/6/8/10	0/0/0/0
1	TPO	B	638	1	-	0/8/11/13	0/0/0/0
1	SEP	B	657	1	-	0/6/8/10	0/0/0/0
1	TPO	C	638	1	-	0/8/11/13	0/0/0/0
1	SEP	C	657	1	-	0/6/8/10	0/0/0/0

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	657	SEP	P-O2P	2.04	1.62	1.54
1	C	657	SEP	P-O2P	2.09	1.62	1.54
1	B	657	SEP	P-O1P	3.32	1.62	1.51
1	C	657	SEP	P-O1P	3.41	1.62	1.51
1	A	657	SEP	P-O1P	3.63	1.63	1.51

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	638	TPO	CG2-CB-CA	-3.31	106.44	113.17
1	C	638	TPO	CG2-CB-CA	-3.00	107.07	113.17
1	B	638	TPO	O-C-CA	-2.52	118.79	125.44
1	C	638	TPO	O-C-CA	-2.06	119.99	125.44
1	C	657	SEP	O-C-CA	-2.03	120.19	125.49
1	B	638	TPO	C-CA-N	-2.01	105.63	109.83
1	C	638	TPO	O3P-P-O1P	2.04	117.16	110.58
1	C	657	SEP	O2P-P-OG	2.17	112.80	106.56
1	A	638	TPO	O3P-P-O2P	2.22	115.83	107.38

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

4 monomers are involved in 7 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	A	638	TPO	2	0
1	B	638	TPO	2	0
1	B	657	SEP	1	0
1	C	638	TPO	2	0

## 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the chemical component dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z  > 2$	Counts	RMSZ	# $ Z  > 2$
2	LW4	A	901	-	35,38,38	2.22	4 (11%)	46,56,56	2.20	20 (43%)
2	LW4	B	901	-	35,38,38	2.17	6 (17%)	46,56,56	2.38	17 (36%)
2	LW4	C	901	-	35,38,38	2.11	5 (14%)	46,56,56	2.50	18 (39%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the chemical component dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	LW4	A	901	-	-	0/7/38/38	0/6/6/6
2	LW4	B	901	-	-	0/7/38/38	0/6/6/6
2	LW4	C	901	-	-	0/7/38/38	0/6/6/6

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	901	LW4	C5-C8	-3.07	1.44	1.50
2	C	901	LW4	C16-C21	-3.06	1.39	1.43
2	B	901	LW4	C16-C21	-2.75	1.40	1.43
2	C	901	LW4	C6-N1	-2.50	1.31	1.36
2	B	901	LW4	C6-N1	-2.36	1.31	1.36
2	A	901	LW4	C6-N1	-2.25	1.32	1.36
2	A	901	LW4	C16-C21	-2.18	1.40	1.43
2	C	901	LW4	C9-C8	-2.08	1.32	1.37
2	B	901	LW4	C26-C28	2.04	1.41	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	901	LW4	C50-C48	2.04	1.41	1.36
2	C	901	LW4	C24-C22	2.05	1.41	1.36
2	A	901	LW4	C50-C48	2.25	1.41	1.36
2	C	901	LW4	C5-C4	9.76	1.50	1.42
2	B	901	LW4	C5-C4	10.12	1.50	1.42
2	A	901	LW4	C5-C4	10.88	1.51	1.42

All (55) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	901	LW4	C31-C34-N37	-7.56	102.80	110.79
2	B	901	LW4	C41-C38-N37	-5.00	105.51	110.79
2	B	901	LW4	N19-C18-N17	-4.43	118.90	126.36
2	B	901	LW4	C21-C16-N17	-4.25	118.86	122.14
2	A	901	LW4	N19-C18-N17	-3.99	119.64	126.36
2	C	901	LW4	C13-N11-C10	-3.97	107.32	111.29
2	A	901	LW4	C34-C31-N30	-3.92	102.85	110.63
2	B	901	LW4	C50-C48-C4	-3.87	115.40	120.88
2	C	901	LW4	N19-C18-N17	-3.62	120.26	126.36
2	B	901	LW4	O14-C13-C8	-3.59	122.78	128.07
2	C	901	LW4	C21-C16-N17	-3.53	119.41	122.14
2	A	901	LW4	C13-N11-C10	-3.44	107.85	111.29
2	A	901	LW4	C21-C20-N19	-3.34	119.64	122.90
2	B	901	LW4	C13-N11-C10	-3.33	107.96	111.29
2	C	901	LW4	C50-C48-C4	-3.30	116.22	120.88
2	A	901	LW4	C21-C16-N17	-3.19	119.67	122.14
2	B	901	LW4	O15-C10-C9	-3.18	123.39	128.07
2	C	901	LW4	O15-C10-C9	-3.08	123.53	128.07
2	C	901	LW4	C21-C20-N19	-3.08	119.89	122.90
2	A	901	LW4	C38-C41-N30	-3.08	104.53	110.63
2	A	901	LW4	C50-C48-C4	-2.87	116.82	120.88
2	C	901	LW4	C34-C31-N30	-2.84	104.99	110.63
2	A	901	LW4	O15-C10-C9	-2.81	123.94	128.07
2	A	901	LW4	C41-C38-N37	-2.76	107.87	110.79
2	C	901	LW4	C9-C8-C13	-2.69	105.30	107.95
2	A	901	LW4	C9-C8-C13	-2.68	105.32	107.95
2	A	901	LW4	O14-C13-C8	-2.46	124.45	128.07
2	B	901	LW4	C52-C54-C3	-2.43	116.16	120.06
2	B	901	LW4	C38-C41-N30	-2.31	106.05	110.63
2	C	901	LW4	C52-C54-C3	-2.19	116.55	120.06
2	A	901	LW4	C52-C54-C3	-2.10	116.69	120.06
2	A	901	LW4	C28-C20-C21	2.04	121.38	119.07

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	LW4	C16-C21-C20	2.10	117.70	116.05
2	A	901	LW4	N17-C18-N30	2.28	119.64	117.08
2	B	901	LW4	C38-N37-C34	2.61	112.95	109.53
2	B	901	LW4	C9-C16-N17	2.84	118.47	115.43
2	C	901	LW4	N19-C18-N30	2.93	120.38	117.08
2	A	901	LW4	C41-N30-C31	3.09	118.07	111.59
2	A	901	LW4	C9-C10-N11	3.18	108.78	106.76
2	A	901	LW4	N19-C18-N30	3.19	120.68	117.08
2	C	901	LW4	C9-C16-N17	3.24	118.89	115.43
2	B	901	LW4	C44-N37-C34	3.38	115.90	110.63
2	C	901	LW4	C38-N37-C34	3.40	113.99	109.53
2	C	901	LW4	C44-N37-C38	3.46	116.03	110.63
2	B	901	LW4	C9-C10-N11	3.68	109.09	106.76
2	C	901	LW4	C44-N37-C34	3.74	116.46	110.63
2	C	901	LW4	C41-N30-C31	3.92	119.81	111.59
2	B	901	LW4	C8-C13-N11	4.01	109.30	106.76
2	B	901	LW4	C41-N30-C31	4.02	120.04	111.59
2	C	901	LW4	C9-C10-N11	4.03	109.31	106.76
2	B	901	LW4	N19-C18-N30	4.12	121.72	117.08
2	B	901	LW4	C44-N37-C38	4.21	117.20	110.63
2	A	901	LW4	C38-N37-C34	4.31	115.18	109.53
2	C	901	LW4	C8-C13-N11	5.00	109.93	106.76
2	A	901	LW4	C8-C13-N11	5.23	110.07	106.76

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	LW4	5	0
2	B	901	LW4	3	0
2	C	901	LW4	6	0

## 5.7 Other polymers ⓘ

There are no such residues in this entry.



## 5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	330/360 (91%)	-0.28	1 (0%) 94 92	18, 37, 61, 72	0
1	B	325/360 (90%)	-0.12	6 (1%) 71 61	21, 43, 70, 82	0
1	C	332/360 (92%)	-0.37	0 100 100	16, 33, 53, 72	0
All	All	987/1080 (91%)	-0.26	7 (0%) 89 84	16, 38, 65, 82	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	604	LYS	3.4
1	B	559	LYS	3.1
1	B	602	TRP	3.0
1	B	599	ARG	2.6
1	B	584	GLY	2.5
1	A	618	VAL	2.2
1	B	605	LEU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors(Å <sup>2</sup> )	Q<0.9
1	TPO	B	638	11/12	0.90	0.16	-	50,53,71,72	0
1	TPO	C	638	11/12	0.88	0.14	-	50,52,74,75	0
1	SEP	B	657	10/11	0.96	0.12	-	30,32,49,50	0
1	TPO	A	638	11/12	0.92	0.14	-	63,65,69,70	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
1	SEP	C	657	10/11	0.96	0.15	-	27,28,40,41	0
1	SEP	A	657	10/11	0.97	0.13	-	33,34,44,46	0

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. LLDF column lists the quality of electron density of the group with respect to its neighbouring residues in protein, DNA or RNA chains. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	LLDF	B-factors( $\text{\AA}^2$ )	Q<0.9
2	LW4	C	901	33/33	0.97	0.15	-0.30	20,28,35,38	0
2	LW4	B	901	33/33	0.97	0.14	-0.82	23,30,33,39	0
2	LW4	A	901	33/33	0.96	0.13	-1.05	26,32,36,38	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.