



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 1, 2016 – 12:07 AM GMT

PDB ID : 1ZTB
Title : Crystal Structure of Chorismate Synthase from Mycobacterium tuberculosis
Authors : Dias, M.V.B.; Borges, J.C.; Ely, F.; Pereira, J.H.; Canduri, F.; Ramos, C.H.I.;
Frazzon, J.; Palma, M.S.; Basso, L.A.; Santos, D.S.; Azevedo Jr., W.F.
Deposited on : 2005-05-26
Resolution : 2.65 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.
We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<http://wwpdb.org/validation/2016/XrayValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.7 (RC4), CSD as536be (2015)
Xtriage (Phenix) : 1.9-1692
EDS : rb-20026688
Percentile statistics : 20151230.v01 (using entries in the PDB archive December 30th 2015)
Refmac : 5.8.0135
CCP4 : 6.5.0
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : trunk26865


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.65 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	91344	3152 (2.70-2.62)
Clashscore	102246	3524 (2.70-2.62)
Ramachandran outliers	100387	3469 (2.70-2.62)
Sidechain outliers	100360	3469 (2.70-2.62)
RSRZ outliers	91569	3161 (2.70-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	401	

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3081 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Chorismate synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	388	Total	C	N	O	S	0	0	0
			2838	1754	532	541	11			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	243	Total	O	0	0
			243	243		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of errors displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Chorismate synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 64 2 2	Depositor
Cell constants a, b, c, α , β , γ	129.76 Å 129.76 Å 156.79 Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	52.93 – 2.65 52.89 – 2.65	Depositor EDS
% Data completeness (in resolution range)	96.2 (52.93-2.65) 96.2 (52.89-2.65)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.27 (at 2.65 Å)	Xtriage
Refinement program	REFMAC 5.2	Depositor
R, R_{free}	0.162 , 0.221 0.163 , 0.220	Depositor DCC
R_{free} test set	2290 reflections (11.40%)	DCC
Wilson B-factor (Å ²)	38.9	Xtriage
Anisotropy	0.041	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 49.6	EDS
Estimated twinning fraction	No twinning to report.	Xtriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.34$	Xtriage
Outliers	0 of 22383 reflections	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	3081	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.41% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.375 respectively for untwinned datasets, and 0.333, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.97	3/2883 (0.1%)	1.36	33/3915 (0.8%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	177	GLU	N-CA	7.53	1.61	1.46
1	A	184	GLU	CG-CD	-5.63	1.43	1.51
1	A	184	GLU	CB-CG	-5.34	1.42	1.52

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	309	ARG	NE-CZ-NH2	-11.45	114.57	120.30
1	A	152	ARG	NE-CZ-NH1	-8.75	115.93	120.30
1	A	28	VAL	CB-CA-C	-8.34	95.56	111.40
1	A	290	ARG	NE-CZ-NH2	-8.08	116.26	120.30
1	A	309	ARG	NE-CZ-NH1	7.90	124.25	120.30
1	A	182	ARG	NE-CZ-NH1	7.52	124.06	120.30
1	A	364	ARG	NE-CZ-NH2	7.19	123.90	120.30
1	A	13	ARG	NE-CZ-NH2	7.16	123.88	120.30
1	A	188	ALA	N-CA-C	-7.12	91.76	111.00
1	A	135	ARG	NE-CZ-NH1	-7.01	116.80	120.30
1	A	92	ASP	CB-CG-OD2	6.99	124.59	118.30
1	A	135	ARG	NE-CZ-NH2	6.96	123.78	120.30
1	A	95	ASP	CB-CG-OD2	6.94	124.55	118.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	177	GLU	N-CA-C	6.91	129.66	111.00
1	A	186	LEU	CA-CB-CG	-6.68	99.93	115.30
1	A	39	ARG	NE-CZ-NH1	-6.55	117.03	120.30
1	A	272	ARG	NE-CZ-NH2	-6.54	117.03	120.30
1	A	364	ARG	NE-CZ-NH1	-6.52	117.04	120.30
1	A	189	ILE	CB-CG1-CD1	-6.39	96.01	113.90
1	A	321	PRO	C-N-CA	-6.35	105.83	121.70
1	A	195	ARG	NE-CZ-NH2	-6.35	117.13	120.30
1	A	177	GLU	CB-CA-C	-6.19	98.02	110.40
1	A	392	ARG	NE-CZ-NH2	6.12	123.36	120.30
1	A	133	LEU	CB-CG-CD1	-6.02	100.76	111.00
1	A	189	ILE	CG1-CB-CG2	-6.02	98.16	111.40
1	A	139	ARG	NE-CZ-NH1	-5.90	117.35	120.30
1	A	199	LYS	CB-CA-C	5.83	122.06	110.40
1	A	241	ASP	CB-CG-OD1	5.83	123.55	118.30
1	A	152	ARG	NE-CZ-NH2	5.82	123.21	120.30
1	A	215	ASP	CB-CG-OD2	5.52	123.27	118.30
1	A	272	ARG	NE-CZ-NH1	5.41	123.00	120.30
1	A	130	ARG	NE-CZ-NH1	5.26	122.93	120.30
1	A	182	ARG	NE-CZ-NH2	-5.15	117.73	120.30

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	180	PRO	Peptide
1	A	181	PRO	Peptide
1	A	391	ASP	Peptide
1	A	42	LEU	Peptide
1	A	47	GLY	Peptide

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2838	0	2846	189	1
2	A	243	0	0	38	2

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	3081	0	2846	189	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 33.

All (189) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:LEU:H	1:A:186:LEU:CD1	1.03	1.46
1:A:39:ARG:HE	1:A:189:ILE:CD1	1.47	1.26
1:A:391:ASP:O	1:A:392:ARG:CG	1.83	1.25
1:A:186:LEU:N	1:A:186:LEU:HD12	1.24	1.25
1:A:380:ARG:HD3	2:A:513:HOH:O	1.34	1.23
1:A:178:GLY:CA	2:A:602:HOH:O	1.87	1.22
1:A:39:ARG:NE	1:A:189:ILE:HD11	1.55	1.19
1:A:187:PRO:HD2	2:A:605:HOH:O	1.38	1.18
1:A:276:ARG:NH1	1:A:276:ARG:HB3	1.62	1.15
1:A:186:LEU:H	1:A:186:LEU:HD13	1.02	1.12
1:A:276:ARG:CB	1:A:276:ARG:HH11	1.63	1.10
1:A:177:GLU:CA	1:A:177:GLU:OE2	1.94	1.10
1:A:178:GLY:HA3	2:A:589:HOH:O	1.49	1.08
1:A:182:ARG:HG3	2:A:439:HOH:O	1.53	1.07
1:A:391:ASP:O	1:A:392:ARG:HG3	1.51	1.07
1:A:391:ASP:O	1:A:392:ARG:HG2	1.55	1.06
1:A:48:ALA:HA	2:A:635:HOH:O	1.54	1.06
1:A:187:PRO:CD	2:A:605:HOH:O	1.95	1.04
1:A:186:LEU:N	1:A:186:LEU:CD1	1.76	1.04
1:A:177:GLU:OE2	1:A:177:GLU:HA	1.53	1.03
1:A:110:ARG:HH12	1:A:328:ASP:HB2	1.22	1.02
1:A:39:ARG:HA	1:A:42:LEU:HD22	1.39	1.01
1:A:317:ILE:HD11	1:A:346:ALA:HB3	1.39	1.00
1:A:6:THR:HG21	1:A:140:GLU:OE1	1.61	0.99
1:A:178:GLY:C	2:A:602:HOH:O	1.95	0.98
1:A:187:PRO:HA	1:A:191:ALA:CB	1.94	0.96
1:A:27:HIS:H	1:A:157:GLN:HE22	1.04	0.95
1:A:13:ARG:HG2	1:A:13:ARG:HH21	1.32	0.95
1:A:39:ARG:HE	1:A:189:ILE:HD11	0.79	0.94
1:A:110:ARG:CG	1:A:110:ARG:HH11	1.80	0.94
1:A:110:ARG:NH1	1:A:328:ASP:HB2	1.83	0.93
1:A:210:GLU:OE1	1:A:210:GLU:HA	1.69	0.92
1:A:190:ASP:O	1:A:191:ALA:C	2.08	0.92

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:256:GLN:HE21	1:A:256:GLN:H	1.16	0.92
1:A:185:ASP:C	1:A:186:LEU:HD12	1.93	0.90
1:A:276:ARG:HB3	1:A:276:ARG:HH11	0.77	0.89
1:A:189:ILE:O	1:A:190:ASP:C	2.11	0.89
1:A:328:ASP:OD1	1:A:330:ALA:N	2.07	0.88
1:A:188:ALA:HB1	2:A:644:HOH:O	1.74	0.87
1:A:191:ALA:HB1	2:A:488:HOH:O	1.77	0.84
1:A:13:ARG:HH21	1:A:13:ARG:CG	1.90	0.84
1:A:187:PRO:HA	1:A:191:ALA:HB3	1.60	0.83
1:A:110:ARG:HH11	1:A:110:ARG:HG2	1.42	0.83
1:A:178:GLY:HA3	2:A:602:HOH:O	1.65	0.82
1:A:190:ASP:O	1:A:192:SER:N	2.12	0.81
1:A:187:PRO:HG2	2:A:421:HOH:O	1.78	0.81
1:A:181:PRO:HB2	1:A:182:ARG:HG2	1.63	0.80
1:A:110:ARG:HG3	1:A:110:ARG:NH1	1.96	0.80
1:A:189:ILE:HD13	2:A:509:HOH:O	1.81	0.78
1:A:183:ALA:CB	2:A:573:HOH:O	2.31	0.78
1:A:110:ARG:NH1	1:A:110:ARG:CG	2.39	0.78
1:A:44:TYR:HE1	1:A:213:LYS:HZ1	1.30	0.77
1:A:1:MET:HG2	1:A:3:ARG:NH1	1.99	0.77
1:A:188:ALA:CB	2:A:644:HOH:O	2.31	0.76
1:A:46:ARG:HB2	2:A:569:HOH:O	1.84	0.76
1:A:181:PRO:CB	1:A:182:ARG:HG2	2.17	0.75
1:A:27:HIS:HB2	2:A:437:HOH:O	1.86	0.75
1:A:184:GLU:HA	2:A:605:HOH:O	1.88	0.74
1:A:177:GLU:HG2	2:A:560:HOH:O	1.88	0.74
1:A:40:ARG:NH1	1:A:141:THR:OG1	2.20	0.73
1:A:317:ILE:HD11	1:A:346:ALA:CB	2.18	0.73
1:A:177:GLU:CD	1:A:177:GLU:N	2.39	0.72
1:A:6:THR:HG22	1:A:135:ARG:HH22	1.56	0.71
1:A:183:ALA:HB3	2:A:573:HOH:O	1.91	0.70
1:A:39:ARG:CA	1:A:42:LEU:HD22	2.20	0.69
1:A:181:PRO:O	1:A:184:GLU:HG2	1.92	0.69
1:A:186:LEU:HB2	1:A:187:PRO:HD3	1.74	0.69
1:A:79:ASN:HD21	1:A:139:ARG:HE	1.37	0.69
1:A:39:ARG:HA	1:A:42:LEU:CD2	2.21	0.68
1:A:187:PRO:O	1:A:191:ALA:HB3	1.94	0.67
1:A:181:PRO:HB3	1:A:182:ARG:NE	2.08	0.67
1:A:46:ARG:HG2	1:A:48:ALA:HB3	1.77	0.67
1:A:39:ARG:NE	1:A:189:ILE:CD1	2.33	0.67
1:A:6:THR:HG23	1:A:135:ARG:HH12	1.58	0.66

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:187:PRO:CA	1:A:191:ALA:HB3	2.24	0.66
1:A:44:TYR:HE1	1:A:213:LYS:NZ	1.95	0.64
1:A:189:ILE:HG21	2:A:509:HOH:O	1.97	0.64
1:A:225:ALA:HB2	1:A:354:VAL:HG12	1.79	0.64
1:A:47:GLY:HA3	2:A:630:HOH:O	1.99	0.62
1:A:82:TRP:N	1:A:83:PRO:CD	2.62	0.62
1:A:189:ILE:O	1:A:191:ALA:N	2.33	0.62
1:A:195:ARG:HG3	1:A:348:PRO:HB3	1.80	0.62
1:A:128:ASP:OD2	1:A:130:ARG:HB3	2.00	0.62
1:A:6:THR:CG2	1:A:135:ARG:HH22	2.13	0.61
1:A:53:GLU:N	2:A:632:HOH:O	2.32	0.61
1:A:159:LEU:HB3	1:A:161:VAL:HG23	1.83	0.61
1:A:27:HIS:N	1:A:157:GLN:HE22	1.89	0.59
1:A:182:ARG:HD3	1:A:228:LEU:HD13	1.84	0.59
1:A:262:GLU:HB2	1:A:266:GLY:HA3	1.82	0.59
1:A:284:GLY:O	1:A:286:ASP:N	2.37	0.58
1:A:79:ASN:ND2	1:A:139:ARG:HH21	2.00	0.58
1:A:79:ASN:HB3	2:A:616:HOH:O	2.04	0.58
1:A:40:ARG:NH2	2:A:470:HOH:O	2.37	0.58
1:A:182:ARG:HD2	2:A:424:HOH:O	2.03	0.57
1:A:13:ARG:NH2	1:A:13:ARG:CG	2.54	0.57
1:A:187:PRO:C	1:A:191:ALA:HB3	2.25	0.56
1:A:189:ILE:HA	1:A:195:ARG:HD2	1.86	0.56
1:A:245:ASP:OD1	1:A:301:GLY:HA2	2.06	0.56
1:A:256:GLN:NE2	1:A:256:GLN:H	1.97	0.56
1:A:187:PRO:HA	1:A:191:ALA:HB2	1.84	0.56
1:A:88:VAL:HG13	1:A:105:ASN:HD22	1.71	0.55
1:A:98:GLU:O	1:A:98:GLU:HG2	2.05	0.55
1:A:179:PRO:CD	2:A:602:HOH:O	2.55	0.55
1:A:13:ARG:NH2	1:A:13:ARG:HG2	2.10	0.55
1:A:177:GLU:N	1:A:177:GLU:OE2	2.40	0.55
1:A:328:ASP:C	1:A:328:ASP:OD1	2.45	0.54
1:A:110:ARG:NH2	1:A:328:ASP:OD2	2.40	0.54
1:A:187:PRO:HD3	2:A:605:HOH:O	1.86	0.53
1:A:33:ILE:HA	1:A:149:THR:HG21	1.90	0.53
1:A:110:ARG:HH12	1:A:328:ASP:CB	2.09	0.53
1:A:284:GLY:O	1:A:285:PRO:C	2.47	0.53
1:A:39:ARG:HE	1:A:189:ILE:HD12	1.62	0.52
1:A:207:ALA:O	1:A:210:GLU:HB2	2.09	0.52
1:A:189:ILE:HG23	1:A:190:ASP:N	2.25	0.52
1:A:79:ASN:ND2	1:A:139:ARG:HE	2.07	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:268:GLN:NE2	1:A:268:GLN:HA	2.26	0.51
1:A:284:GLY:C	1:A:286:ASP:N	2.63	0.51
1:A:133:LEU:HD23	1:A:133:LEU:C	2.31	0.51
1:A:39:ARG:HH11	1:A:189:ILE:HG13	1.76	0.50
1:A:358:VAL:HG12	1:A:362:LEU:HD22	1.92	0.50
1:A:328:ASP:OD1	1:A:330:ALA:HB3	2.12	0.50
1:A:165:SER:HA	1:A:224:GLU:O	2.11	0.50
1:A:55:ASP:OD1	1:A:139:ARG:NH1	2.42	0.50
1:A:194:VAL:HG23	1:A:196:ALA:HB2	1.92	0.49
1:A:86:GLU:O	1:A:90:ALA:HB2	2.12	0.49
1:A:189:ILE:HG13	1:A:195:ARG:NH1	2.27	0.49
1:A:181:PRO:HD2	1:A:184:GLU:OE2	2.13	0.49
1:A:141:THR:HA	1:A:144:ARG:HD3	1.95	0.49
1:A:285:PRO:O	1:A:286:ASP:HB3	2.13	0.48
1:A:351:GLY:O	1:A:355:GLU:HG3	2.13	0.48
1:A:276:ARG:CG	1:A:276:ARG:HH11	2.25	0.47
1:A:159:LEU:CB	1:A:161:VAL:HG23	2.44	0.47
1:A:230:LEU:HD11	1:A:362:LEU:HG	1.95	0.47
1:A:1:MET:HB3	2:A:554:HOH:O	2.15	0.47
1:A:70:GLY:N	2:A:622:HOH:O	2.46	0.47
1:A:243:ARG:NE	2:A:640:HOH:O	2.32	0.47
1:A:218:THR:HG21	1:A:318:SER:HB2	1.97	0.47
1:A:77:ILE:HD11	1:A:142:ALA:HB1	1.97	0.47
1:A:140:GLU:OE2	1:A:144:ARG:HD2	2.15	0.46
1:A:165:SER:OG	1:A:195:ARG:NH2	2.47	0.46
1:A:362:LEU:HA	1:A:362:LEU:HD12	1.68	0.46
1:A:82:TRP:N	1:A:83:PRO:HD2	2.30	0.46
1:A:185:ASP:CA	1:A:186:LEU:HD12	2.46	0.46
1:A:10:SER:HB3	1:A:139:ARG:HB3	1.97	0.46
1:A:178:GLY:HA2	2:A:602:HOH:O	1.84	0.46
1:A:328:ASP:OD1	1:A:330:ALA:CB	2.64	0.46
1:A:186:LEU:N	1:A:186:LEU:HD13	1.87	0.46
1:A:9:GLU:HB3	1:A:134:GLU:HB3	1.98	0.46
1:A:182:ARG:HD3	1:A:228:LEU:CD1	2.46	0.45
1:A:349:ALA:O	1:A:352:VAL:HG13	2.15	0.45
1:A:99:LEU:HD22	1:A:105:ASN:OD1	2.16	0.45
1:A:276:ARG:NH1	1:A:276:ARG:CB	2.47	0.45
1:A:319:THR:HG23	1:A:324:LEU:HD12	1.98	0.45
1:A:189:ILE:HG13	1:A:195:ARG:HH11	1.82	0.45
1:A:48:ALA:HB1	2:A:634:HOH:O	2.17	0.44
1:A:297:GLY:O	1:A:303:THR:HA	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:317:ILE:HD12	1:A:341:ARG:NH2	2.32	0.44
1:A:326:THR:OG1	1:A:327:VAL:N	2.50	0.44
1:A:239:SER:HB2	1:A:242:HIS:CD2	2.52	0.44
1:A:190:ASP:HB3	2:A:447:HOH:O	2.17	0.44
1:A:192:SER:O	1:A:193:PRO:C	2.55	0.44
1:A:256:GLN:N	1:A:256:GLN:HE21	1.99	0.44
1:A:10:SER:HA	1:A:139:ARG:HG2	1.98	0.43
1:A:259:LYS:HD2	1:A:259:LYS:HA	1.72	0.43
1:A:230:LEU:HB2	2:A:552:HOH:O	2.19	0.43
1:A:80:THR:HG22	1:A:81:GLU:N	2.33	0.43
1:A:187:PRO:O	1:A:188:ALA:C	2.51	0.43
1:A:244:LEU:HD23	1:A:244:LEU:HA	1.90	0.43
1:A:235:GLY:HA3	1:A:244:LEU:HG	2.00	0.43
1:A:364:ARG:CD	2:A:456:HOH:O	2.66	0.43
1:A:347:VAL:N	1:A:348:PRO:CD	2.82	0.42
1:A:77:ILE:HG21	1:A:77:ILE:HD12	1.76	0.42
1:A:27:HIS:HA	1:A:66:GLY:O	2.20	0.42
1:A:256:GLN:O	1:A:257:ALA:HB3	2.20	0.42
1:A:19:VAL:CG2	1:A:147:ALA:HB1	2.49	0.42
1:A:195:ARG:CZ	1:A:195:ARG:HB3	2.50	0.41
1:A:380:ARG:CD	2:A:513:HOH:O	2.20	0.41
1:A:328:ASP:OD1	1:A:330:ALA:CA	2.68	0.41
1:A:82:TRP:H	1:A:83:PRO:CD	2.32	0.41
1:A:298:LEU:HA	1:A:302:MET:O	2.20	0.41
1:A:318:SER:HG	1:A:343:ASP:HB2	1.84	0.41
1:A:298:LEU:HA	1:A:298:LEU:HD12	1.81	0.41
1:A:156:ARG:HD3	1:A:162:GLU:OE2	2.21	0.41
1:A:111:PRO:CB	1:A:118:TYR:HB2	2.51	0.41
1:A:5:ILE:HG13	1:A:6:THR:H	1.86	0.40
1:A:183:ALA:HB2	2:A:439:HOH:O	2.21	0.40
1:A:79:ASN:ND2	1:A:139:ARG:NH2	2.68	0.40
1:A:268:GLN:HE22	1:A:271:ARG:HD3	1.85	0.40
1:A:261:VAL:HA	1:A:311:ARG:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:ARG:NH1	2:A:618:HOH:O[4_665]	1.72	0.48
2:A:555:HOH:O	2:A:617:HOH:O[4_665]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	384/401 (96%)	362 (94%)	15 (4%)	7 (2%)	11	23

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	182	ARG
1	A	191	ALA
1	A	330	ALA
1	A	371	GLY
1	A	190	ASP
1	A	286	ASP
1	A	266	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	279/288 (97%)	232 (83%)	47 (17%)	2	5

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	6	THR
1	A	13	ARG
1	A	37	LEU
1	A	42	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	44	TYR
1	A	46	ARG
1	A	54	ARG
1	A	57	VAL
1	A	60	LEU
1	A	77	ILE
1	A	80	THR
1	A	81	GLU
1	A	98	GLU
1	A	110	ARG
1	A	132	VAL
1	A	135	ARG
1	A	137	SER
1	A	144	ARG
1	A	155	LEU
1	A	156	ARG
1	A	164	LEU
1	A	168	ILE
1	A	177	GLU
1	A	182	ARG
1	A	184	GLU
1	A	186	LEU
1	A	199	LYS
1	A	210	GLU
1	A	213	LYS
1	A	230	LEU
1	A	234	LEU
1	A	256	GLN
1	A	268	GLN
1	A	276	ARG
1	A	294	ARG
1	A	298	LEU
1	A	308	LEU
1	A	317	ILE
1	A	331	THR
1	A	341	ARG
1	A	342	SER
1	A	343	ASP
1	A	344	VAL
1	A	352	VAL
1	A	356	THR
1	A	362	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	388	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	27	HIS
1	A	79	ASN
1	A	105	ASN
1	A	157	GLN
1	A	242	HIS
1	A	256	GLN
1	A	268	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	388/401 (96%)	-0.22	12 (3%)	52 51	19, 31, 60, 97	2 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	190	ASP	5.5
1	A	285	PRO	5.0
1	A	47	GLY	3.7
1	A	44	TYR	3.6
1	A	48	ALA	3.4
1	A	330	ALA	3.0
1	A	1	MET	2.9
1	A	287	GLY	2.3
1	A	191	ALA	2.2
1	A	187	PRO	2.2
1	A	97	ALA	2.1
1	A	54	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.